UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/578,227	05/04/2006	Elvio Gasperini	023349-00319	7554
4372 7590 09/01/2009 ARENT FOX LLP			EXAMINER	
	TICUT AVENUE, N.	WENDELL, MARK R		
SUITE 400 WASHINGTON, DC 20036		ART UNIT	PAPER NUMBER	
			3635	
			NOTIFICATION DATE	DELIVERY MODE
			09/01/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DCIPDocket@arentfox.com IPMatters@arentfox.com Patent_Mail@arentfox.com

	Application No.	Applicant(s)				
Office Action Comments	10/578,227	GASPERINI ET AL.				
Office Action Summary	Examiner	Art Unit				
	MARK R. WENDELL	3635				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on <u>08 Ju</u>	ing 2000					
· <u> </u>	· · · · · · · · · · · · · · · · · · ·					
· <u> </u>	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) is/are pending in the application						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) 1-6 is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
<u> </u>						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application 6) Other:						

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 2 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The invention claims in lines 2 and 3 at least one pair of a panel, which makes no sense. It either has to be a pair of panels or just a panel. For examination purposes, it will be assumed to mean one panel.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-6 rejected under 35 U.S.C. 103(a) as being unpatentable over Siegenia (WO 00/73608). Regarding claims 1 and 3, Siegenia illustrates in Figure 7 a separation structure, the structure comprising:

Assembled separator means (see Figure below), and


Application/Control Number: 10/578,227 Page 3

Art Unit: 3635

o Seal means (see Figure below) inserted between the separator means;

Wherein the seal means are fluid dynamic expansion means and are formed by at least two (there are 4 illustrated) separately expanding tubular ducts each of the at least two tubular ducts being selectively supplied with one of positive pressure fluid or negative pressure fluid to cause each duct to expand or contract (notice in the figure that two of the seal means are contracted and two are expanded). Application/Control Number: 10/578,227

Art Unit: 3635



The examiner notes that the prior art does not distinctly disclose this object being used in the pharmaceutical art; however the reference teaches this structure to be a door or window which could easily be used to separate objects in the pharmaceutical art. The examiner also notes that this language is purely intended use which is not patentable because it does not differentiate the claimed apparatus from the prior art apparatus


Application/Control Number: 10/578,227

Art Unit: 3635

satisfying the claimed structural limitations (Ex parte Masham, 2 USPQ 2d 1647 (1987)).

Regarding claim 2, Seigenia illustrates in Figure 7 (see above) wherein the separator means comprises at least one of a first separator panel and a second separator panel, and a third panel is positioned and connected between the first separator panel and the second separator panel; the seal means formed by the ducts being connected to the first panel and the second panel and to the third panel.

Regarding claims 4 and 5, Seigenia illustrates in Figure 7 seal means (see figure above) having two chambers (see blown up Figure below). The examiner notes that the Figure is already in cross section and each seal means contains at least four sides which form the two ducts.



Regarding claim 6, the examiner notes that it would have been obvious to one having ordinary skill in the art at the time of invention to modify the shape of the ducts / gasket

Art Unit: 3635

in order to fit a certain separation structure. The triangular shape would perform the same sealing function and produce the same predictable results as a circular or rectangular shape.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARK R. WENDELL whose telephone number is (571)270-3245. The examiner can normally be reached on Mon-Fri, 7:30AM-5PM, Alt. Fri off, EST.

Application/Control Number: 10/578,227

Art Unit: 3635

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on (571) 272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Richard E. Chilcot, Jr./
Supervisory Patent Examiner, Art Unit 3635

Richard Chilcot Examiner Art Unit 3635 Page 7

/M. R. W./ Examiner, Art Unit 3635 August 20, 2009